

Brian Wendling - Requirements

Stage Requirements:

*12 feet wide by 8 feet deep suggested minimum size with a 16 foot ceiling height unobstructed over the stage preferred. A 10 foot ceiling height can be accommodated.

If the sponsor wishes to have a podium on stage before the performance it should be removed prior to the show. The stage must be stable and staging interlocked if possible.

Lighting:

Full illumination over stage area. Audience in full or 3/4 lighting.

If the setting allows for complete/almost complete blackout, then 3-5 globalls may be added to the show. If performed, this piece is done next to last, so a quick return to full lighting after this piece is necessary.

Sound Requirements:

A wireless lapel microphone with three prong cable and minidisc player with 1/4 inch cable are used for voice amplification and music. If connected to the sponsor's system the player should be located within 3 feet of the stage to allow the performer access. If the sponsor provides a CD player, it should be immediately adjacent to the stage unless a stage person can start and stop the music.

The lapel microphone receiver needs an electrical outlet - it can be placed with sound system.

Suggestions for Success:

For after-dinner shows, the majority of the audience should have completed their meal prior to the beginning of the performance. (It's difficult to enjoy a good meal and a performance at the same time).

Laughter is contagious... so, it's better when the audience is seated closer to both the stage and each other.